STATEMENT OF WORK (SOW) REBUILD OF RADAR SET AN/PPS-15(V)2 NSN 5840-01-055-8967

- 1.0 Scope. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor in the rebuild effort of the Radar Set AN/PPS-15(V)2, NSN 5840-01-055-8967, ID# 07581B, TAMCN A1415. (For purposes of this SOW. Contractor is defined as the commercial or government entity performing the rebuild). This document contains requirements to restore the Radar Set AN/PPS-15(V)2 to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining".
- 1.1 Background. Rebuild is defined as "That Maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items".
- 2.0 Applicable Documents The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

Military Standards - (For Guidance Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

AG00000385 Special Packaging Instructions (SPI)

Direct Support and General Support TM-07581A-34

> Maintenance Manual Radar Set AN/PPS-15(V)2

TM-07581A-35 Maintenance Prints

Radar Set AN/PPS-15(V)2

TM-07581A-50 Overhaul Instructions

Radar Set AN/PPS-15(V)2

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491-2A Requisitioning of Contractor Furnished Materiel

from the Federal Supply System

2.3 Industry Standards

in Production, Installation, and Servicing

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil/. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891) Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

3.1 Rebuild.

The contractor shall use the following document to assist in the rebuilding of the Radar Sets: TM-07581A-50, TM-07581A-34, and TM-07581A-35.

Upon completion, rebuilt Radar Sets shall be in Condition Code "A", as described in paragraph 1.0 to this SOW.

3.2 Quality Assurance/Quality Control

The Contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASOC O9002-1994. Quality System Model for Quality Assurance in Production, Installation, and Servicing. Quality acceptance and test procedures shall be in accordance with TM-07581A-50, chapters 2-9, section VI.

3.3 Configuration Control

If necessary to temporarily depart from the authorized Repair Parts List, established in

TM-07581A-50, the Contractor Facility shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraphs 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

3.4 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level A requirements of SPI AG00000385 which may be obtained from Materiel Management Division, Logistics Support Division (822-1), Suite 20320, 814 Radford Blvd., Albany, GA 31704-0320, Commercial telephone (912) 439-6786 or DSN 457-6786. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level B requirements.
 - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

3.5 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

GFE is government owned equipment authorized by contract for use by a commercial/Government Contractor. It is neither consumed during production nor incorporated into any product. GFM is material furnished to a Contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/ statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.6 Contractor Furnished Materiel The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A.) In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Departions and Reports (0701-0188), 1215 Jetferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notivitiestending any other provision of law, no person shall be subject to early penalty for fairing to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and complete to information of information in cluding suggestions, searching existing data sources, gathering and maintaining the data needed, and complete to request the contraction of information in cluding suggestions, searching existing data sources, gathering and maintaining the data needed, and complete to report the contraction of information in cluding suggestions, searching existing data sources, gathering and maintaining the data needed, and complete the contraction of information in cluding suggestions, searching existing data sources, gathering and maintaining the data needed, and complete the contraction of information in cluding suggestions, searching existing and maintaining the contraction of the contraction of information in cluding suggestions, including suggestions, including suggestions, for existing data sources, gathering and contraction of the contraction of information in cluding suggestions, including suggestions, including suggestions, searching suggestions, including suggestions, including suggestio

A. CONTRACT LINE ITEM NO.		B. EXHIBIT	C. CATEGORY:						
D. SYSTEM/ITEM			ACT/PR NO.	F. CONTRA					
	et AN/PPS-15(V	7)2	<u> </u>	3. SUBTITLE				17. PRI	
.DATA ITEM NO.	2. TITLE OF DATA ITEM			3. 30811112				1 17. FR	
A001		Request For De	viation	Configuration Management					
I, AUTHORITY (Data Acquis		5. CONTRAC	5. CONTRACT REFERENCE SOW 3.3			6. REQUIRING OFFICE			
.D1-(CMAN-80640B	10. FREQUENCY	12. DATE OF FIRST SU	IBMISSION	MCLBA (825)				
LT	REQUIRED	ASREQ	I	BLK 16	14. Distribution		b. COPIES		
8. APP CODE	Α	11. AS OF DATE	13. DATE OF SUBSECT	UENT	a. Addressee	Draft			
& REMARKS						- -	Reg Repro		
31k 4 - Contra	ctor format is au				MCLBA (825-2)	0	1 0	1	
Blks 10 & 12 - lonconforming locumentation	RFDs shall be s material which	submitted to obtain does not meet pre		·		i 			
			ed within 30 calend					!	
			E-Mail to the follone.mil				ļ <u> </u>	-	
iddress: mbm	atcomconfigmng	mnt@matcom.usr	nc.mil	=	<u> </u>		-		
								1	
Distribution St	atement A: App	proved for public i	release, distribution	is unlimited					
					ļ	-	<u> </u>		
						 		į.	
]	
					<u> </u>			[
						 			
							<u> </u>	1	
					<u> </u>			1	
						┪──		1	
								j i	
								ļ	
						+		-	
								1	
						+	 	1	
								į	
								1	
					<u> </u>	+		 	
						+		1	
].	
	<u> </u>	1	TE I. APPRO	WED DY	15. TOTAL	0	1 0	4	
G. PREPARED BY	C Chi	H. BAT	4	J. DAT	/\00				
OD FORM 1423	1, AUG 96 (EG)		PREVIOUS EDITION N	MAY BE USED.		Page	of Page	■ ' S	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arrington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of the Machine Control number. Information of the data of the provision of the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:							
D. SYSTEM/ITEM			E. CONTRACT/PR		F. CONTRA						
	Set AN/PPS-15(V	')2	2. 00.01.01.01,111	,	11.00.071						
DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						
A002		Reques	Request For Waiver			Configuration Management					
AUU2 REQU 4. AUTHORITY (Data Acquisition Document No.)			5. CONTRACT REFERENCE			6. REQUIRING OFFICE	-				
DI-CMAN-80641B SOW 3.3						MCLBA (825)					
LT . DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ		12. DATE OF FIRST SUBMISSION SEE BLK 16		14. DISTRIBUTION	1	T			
B. APP CODE	_	11. AS OF DA	TE 13. DATE OF SUBSEQUENT			a. ADDRESSEE		b. COPIES Final			
	Α			SUBMISSION			Draft	Oreft Reg Rep			
6. REMARKS						MCLBA (825-2)	0	1			
	ctor format is au										
Blks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.											
	reviewed and dis Government.						-				
RFWs shall be address: mbma	transmitted, in A	ASCII for: nnt@mate	mat, via E-Ma com.usmc.mil	il to the followin	ıg						
Distribution St	tatement A: App	roved for	public release	, distribution is t	unlimited				<u></u>		
							- l ·				
									ļ		
							-				
							1		\vdash		
						· · · · · ·		ļ	ļ		
									\vdash		
							-		\vdash		
							1				
									ļ		
							\bot				
								<u> </u>	ļ		
							-	<u> </u>	⊢		
						l			⊢		
									\vdash		
							+	<u> </u>	\vdash		
							1		\vdash		
							1		\vdash		
								ł			
						15. TOTAL	0	1			
G. PREPARED BY	n CN	16	H. DATE	I. APPROVED	BY Del	Can	J. DAT	E (1)			

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE